

GAS & ELECTRIC APPLIANCES 2022/23

Exquisite fires for elegant homes

Contents

All about Wildfire.

..4-5

Gas Fires
Some things you need to know
Function and Performance 8-9
High Efficiency (Glass Fronted) Gas Fires
Ravel 1500 Media Suite (Balanced Flue)10-11 for homes with no flue
Ravel 1720 Media Suite (Balanced Flue)12-13 for homes with no flue
HE900 (Avellino Suite) 14-15 for standard and precast flues
HE950L (Seville Suite)
Ravel 600 (Asti 600 Suite) Limestone18-19 for standard flues
Ravel 600 (Amalfi Suite) Micro Marble 20-21 for standard flues
Ravel 600 HIW Gas Fire
Ravel 800 (Asti 800 Suite) Limestone24-25 for standard flues
Ravel 800 (Siena Suite) Micro Marble 26-27 for standard flues
Ravel 800 (HIW) 28-29 for standard flues
Ravel 750 (Asti 750 Suite) Limestone 30-31 for standard flues
Ravel 750 (Valentia Suite) Micro Marble32-33 for standard flues



Panama HE (Salvador Suite) for standard flues	34-35
Cressida HEfor standard flues	36-37
Pesaro HE slimline	38-39
Ravel 400 HE (Salvador Suite) for standard flues	40-41
Ravel 400 Inset Stove (Salvador Suite) for standard flues	42-43
Ravel 400 HE (HIW)	44-45
Ravel 400 HE (Balanced Flue)for homes with no flue	46-47
Thermes (Balanced Flue)	48-49
BF960SL (Balanced Flue)for homes with no flue	50-51



Open Fronted Gas Fires

Cavello	
Montese (Cadiz Suite) Radiant full Depth Open Fronted for standard and precast flues	54-55
Ceralis (Salerno suite)	
Ellipsis (HIW / Hearth Mount) A range of options featuring the Ellipsis tr	



Gas Stoves



for all gas appliances..

Trim Options & Technical Information for Gas Fires

Trim Options	.62
Choose a trim for your Gas Fire	
Technical information	

Electric Fires

Some things you need to know 64-65



Electric Fireplace Suites

HE900E (Avellino Suite)	.66-67
HE950LE (Seville Suite)	68-69
Panama E22 (Salvador Suite) Widescreen Electric Fireplace	70-71
Ravel E16 (Salvador Suite)	.72-73



Trim Options & Technical Information for Electric Fires

Trim Options	74
Choose a trim for your Electric Fire	
Fireplace dimensions for all	
Flectric Fireplace Suites	75

2 | CONTENTS | 5

Exquisite fires for elegant homes

Wildfire are a multi award winning gas appliance manufacturer.

The HE950L Seville Suite was named not only Gas fireplace suite of the year, but also 'Product of the Year' at the 2018 Hearth and Home exhibition.

Wildfire are dedicated to the design and manufacture of innovative and attractive fireplaces for British homes. At Wildfire we are committed to providing the highest quality heating products with a proven performance. Our innovative range of gas and electric fireplace suites have been tested to comply with the latest British and European standards and are manufactured in an ISO certified factory.





New for the 2022/2023 are the Ravel 400 balanced flue and the impressive 1500 & 1720 Ravel media wall fires. Contact your dealer for a demonstration.

The Wildfire gas product range includes many products which have been designed and approved with efficiency at their core. In a world where energy costs have soared we believe it is important to obtain the absolute maximum from your heating appliance.

With this in mind the net efficiency of Wildfire open fronted gas fires are up to 62% and the glass fronted fires up to 87.2%. So when you purchase a Wildfire heating product you can be confident that you will be installing a product that will deliver in all installation scenarios. Here at Wildfire we are devoted to innovative design whilst maintaining maximum functionality. All Wildfire slide control gas fires feature the latest patented Direct Slide technology.

Wildfire is the premier gas and electric appliance brand from Hearth Products
Limited. Hearth Products has been actively involved in design and technology for the fireplace industry across the globe since 2003. Our product technologies have been used in products across Europe,
Australia and North America.

See full details of our product range at either www.wildfiregas.co.uk or www.wildfireelectric.co.uk

6 | ALL ABOUT WILDFIRE | 7

Some things you need to know

Do I need a Convector or a Radiant Gas Fire?

It is important to know the difference between Radiant heat and Convected heat.

Radiant heat. In short. Radiant heat is emitted from all Wildfire appliances. This type of heat is actually infrared and heats objects in the room. Radiant heat is considered to be the most comfortable and natural form of heat.

Convected heat warms the air in the room. By passing the cooler air which enters the appliance at the bottom, through a heat exchanger, it warms up, then emits the hotter air back into the room from the top of the appliance.

Do I need a Glass Fronted Gas Fire?

A glass fronted fire will be more efficient and therefore more cost effective to run. Glass fronted appliances are usually more expensive

In general terms, it is usually more cost effective to purchase a glass fronted appliance if it is to be used more regularly as the efficiency savings will provide a quicker payback for the more expensive appliance. It is also important to remember that a glass fronted appliance will normally provide a similar amount of heat to an open fronted appliance, however, as it is more efficient, it is cheaper to run.





We guarantee* our gas fire products for a period of 5 years from installation and our customer service staff are always on hand to help you with any query you may have with your product.

Our 5 year limited guarantee* is managed directly by Wildfire through our extensive network of service centres throughout the UK. Choose Wildfire for style, performance, reliability, value and peace of mind.





Brick Chimney



Pre-Cast



Balanced Flue



Balanced Flue

What type of flue do I have?

You will need to know what type of flue you have in your home. You will see these icons on each product page which will show if the appliance is suitable for your property. It may be that you have a Brick Chimney (otherwise known as a Class 1 flue), a Pre-Fabricated Metal System (which can be a Class 1 or Class 2 flue) or a Pre-Cast Flue (a flue which is built into the inner brickwork of your home). If you do not have a chimney or flue system in your home then you will need to look for a balanced flue gas fire which, if you already have a balanced flue gas fire in the property, is usually indicated by a flue terminal concealed within a basket on the outside of the property.







Slide Control



Manual Electronic Control

What control options are available?

All Wildfire products are available with a Direct Slide option giving you the ease of reliable and simple operation. The slide control provides ignition, flame control and turns the fire off when you're finished. Most of the Wildfire range is available in manual control too — these fires have a removable cover at the base of the fire where the rotary control and igniter are situated.

Wildfire have now introduced electronic ignition on the majority of the manual control range.



What type of gas do I need?

Wildfire appliances are currently only available for natural gas.

Function & Performance

O.D.S

The Oxygen Depletion Sensor will automatically shut off the gas supply to the burner if the oxygen level in the room falls below a particular level. This is important as it will turn off the appliance should the flue become blocked or a lack of ventilation occurs.

The Flame Supervision Device is designed to sense the presence of a flame. Should the flame be extinguished for any reason then the safety device will cut off the supply of gas to the burner.


Optional Ezi-Grip Handle



Most Wildfire appliances can be fitted with an elderly/infirm handle to ease the lighting operation. This larger handle is much easier to access and move so if you think that this may be a requirement then talk to your retailer who will demonstrate the Ezi-Grip system. This handle is purchased as an accessory and is fitted at the point of installation of the appliance.









with a large range of trim options.




revolutionary XE system which is only available from Hearth Products. This new efficiency system is designed to 'tune' the appliance to your fireplace flue, thereby ensuring you obtain the maximum output from the appliance.

technology in high output gas fires and deliver the most effective way of heating your living room. The range includes both middepth convector and full depth convector products, both available with Direct Slide Technology. The Ravel 400 appliance can also be installed into a hole in the wall by fitting the 4 sided HIW trim (See pages 44 and 45). The balanced flue gas fires are a high efficient appliance solution for homes with no chimney, the Thermes & Ravel 400 BF deliver heat, value for money, efficiency and are available









10 | GAS FIRES | FUNCTION & PERFORMANCE



to reveal the perfect log fire. A convection system forces cooler air through the side grills and up through side outlets at the top of the chimney breast, or through a stylish linear outlet above the television. The installation allows all the unsightly cables to be concealed whilst delivering a stylish and functional media wall to your home. Spot heating with a gas appliance is the most cost effective method to heat a room, allowing the central heating boiler to be turned off for longer periods...the Ravel Media Wall fire is a powerhouse of heat.

FLUE OPTION


Balanced Flue








DIMENSIONS






TRIM DIMENSIONS



A) 1481mm B) 415mm

GAS CONSUMPTION



6.9kW

Heat Input (Low)



Heat Output (High)



Heat Output (Low)

75% EFFICIENCY

ENERGY EFFICIENCY CLASS E 12 GAS FIRES RAVEL 1500 MW RAVEL 1500 MW | GAS FIRES | 13



heat output and an unrivalled flame picture, the fuel bed is intricately detailed to reveal the perfect log fire. A convection system forces cooler air through the side grills and up through side outlets at the top of the chimney breast, or through a stylish linear outlet above the television. The installation allows all the unsightly cables to be concealed whilst delivering a stylish and functional media wall to your home. Spot heating with a gas appliance is the most cost effective method to heat a room, allowing the central heating boiler to be turned off for longer periods...the Ravel 1720 Media Wall fire is a powerhouse of heat combined with ultra realism.


FLUE OPTION


Balanced Flue





DIMENSIONS





- A) 1831mm
- B) 667mm
- C) 1538mm
- D) 650mm
- E) 1711mm
 - M) 339mm
- F) 407mm G) 27-60mm

H) 120mm

N) Ø116mm O) 253mm P) Ø230mm

I) 703mm

J) 13mm


- K) 498mm S) 1623mm L) 355mm T) 1711mm
 - U) 104mm
 - V) 825mm W) 260mm

Heat

Input

Q) 535mm R) 521-766mm

GAS CONSUMPTION









75% EFFICIENCY

ENERGY EFFICIENCY CLASS F 14 GAS FIRES RAVEL 1720 MW RAVEL 1720 MW | GAS FIRES | 15



with expansive viewing glass that can be installed into a conventional 16" x 22" fireplace opening without any modification, or precast flue where the PCF version is ordered. This patent pending product is designed to fit UK fireplace openings with no need to alter the fabric of the building.

The HE900 features a stunning log and ember bed, easily controlled with a slide operating system which comes as standard. Finally, the ultimate fireplace solution has arrived...

The Avellino micro marble suite is available in white or white with grey border.

FLUE OPTIONS











*When ordered as PCF model

CONTROL











Heat Input

(High)

GAS CONSUMPTION








Heat Output (High)

83% EFFICIENCY

Heat Output (Low)

2.1kW

DIMENSIONS




- A) 659mm D) 165mm (Standard)
- B) 640mm D) 220mm (PCF)
- C) 740mm E) 110mm (Standard)
- F) 553mm

E) 55mm (PCF)

H) 744mm

MANTEL DIMENSIONS



- A) 1320mm E) 235mm (Standard) G) 663mm
- B) 1320mm E) 290mm (PCF)
- C) 1159mm F) 165mm (Standard)
- D) 400mm F) 220mm (PCF)

STANDARD MANTEL FINISH OPTIONS





Available with grey inner border - see similar detail on the Seville Suite - page 12.








ENERGY EFFICIENCY CLASS D 16 | GAS FIRES | HE 900 HE 900 | GAS FIRES | 17



DIMENSIONS




A) 800mm D) 165mm (Standard)

B) 520mm D) 220mm (PCF)

E) 55mm (PCF) F) 553mm

C) 620mm E) 110mm (Standard)

MANTEL DIMENSIONS



A) 1320mm E) 235mm (Standard)

B) 1320mm E) 290mm (PCF)

C) 967mm F) 165mm (Standard)

G) 803mm H) 624mm

D) 400mm F) 220mm (PCF)

appliance to bring your fireplace to life.

Just like the HE900, its predecessor, this fire fits into your standard 16" x 22" builders opening or precast flue if the PCF version is ordered. No building work, lintels, mess or costly installation. The fabric of your home will remain intact but you will benefit from a landscape, large format gas fire with beautifully crafted logs and colourful dancing flames. Ask your retailer for the different fireplace design options available with the HE950L, they will be able to deliver a suite to compliment the style of your living room.

FLUE OPTIONS













Heat Input

(High)







Seville Suite available with or without Grey inner border.

Grey

STANDARD MANTEL FINISH OPTIONS











*When ordered as PCF model

CONTROL

∜ Slide



Log



FUEL



GAS CONSUMPTION

Heat Input

(Low)



Heat Output (High)

Heat Output (Low)

75% EFFICIENCY

ENERGY EFFICIENCY CLASS D

18 | GAS FIRES | HE 950L



stunning fuel bed layout. The unique burner system allows the fire to be turned to low whilst still retaining an impressive flame picture.

Shown here in the Asti 600 Limestone surround, installed with the sleek Edge trim, for the trimless look. The Ravel 600 will fit nearly all masonry fireplace openings.

FLUE OPTIONS



Brick Chimney Pre-Fabricated

WATCH VIDEO



Scan QR Code

CONTROL

\ Slide











FUEL

Dimensions


EDGE





- A) 598mm B) 598mm
- C) 18-32mm D) 280mm
- E) 665mm F) 597mm

EDGE TRIM ONLY



K) 45mm

L) 60mm

- A) 1210mm
 - F) 780mm G) 590mm
- B) 1032mm C) 1220mm
- H) 588mm
- D) 60mm J) 145mm E) 742mm
- M) 380mm I) 72mm

Note: The Asti 600 Limestone suite is only available to suit the Edge style trim as shown.

GAS CONSUMPTION



Heat Input (High)



Heat 4.5kW Output (High)



Heat Output (Low)

Heat

Input

(Low)

74% EFFICIENCY

ENERGY EFFICIENCY CLASS E RAVEL 600 | GAS FIRES | 21



stunning fuel bed layout. The unique burner system allows the fire to be turned to low whilst still retaining an impressive flame picture.

Shown here in the Amalfi 600 micro marble surround, installed with the sleek Edge trim, for the trimless look. The Ravel 600 will fit nearly all masonry fireplace openings.

FLUE OPTIONS





WATCH VIDEO



Scan QR Code

CONTROL











FUEL

ENERGY EFFICIENCY CLASS E

Dimensions


EDGE






- A) 598mm B) 598mm
- C) 18-32mm
- E) 665mm
- D) 280mm F) 597mm

EDGE TRIM ONLY





K) 45mm

A) 1210mm B) 1032mm


D) 60mm

E) 742mm

- F) 780mm G) 590mm
- C) 1220mm H) 588mm
 - I) 72mm
- L) 60mm M) 380mm
 - J) 145mm

Note: The Amalfi marble suite is only available to suit the Edge style trim as shown.

GAS CONSUMPTION









Heat Output (Low)

Heat

Input

(Low)

74% EFFICIENCY



Pre-Fabricated



\ Slide







burner technology is sure to impress with its stunning fuel bed layout. The unique burner system allows the fire to be turned to low whilst still retaining an impressive flame picture.

Shown here installed as a Hole in the Wall fire with the sleek Edge trim, for the trimless look. The Ravel 600 will fit nearly all masonry fireplace openings.

FLUE OPTIONS





Brick Chimney Pre-Fabricated

WATCH VIDEO



Scan QR Code

CONTROL









Dimensions


EDGE





- A) 598mm B) 598mm
- D) 280mm
- C) 18-32mm E) 665mm F) 597mm

STANDARD




- A) 747mm B) 747mm
- C) 10mm
- D) 280mm
- E) 665mm F) 597mm

GAS CONSUMPTION



Heat Input (High)







Heat Output (Low)

74% EFFICIENCY



developments from Wildfire. This glass fronted gas fire is suitable for both class 1 and class 2 flues.

The Ravel 800 features the latest in under-log burner technology and is sure to impress with it's stunning fuel bed layout.

The unique burner system allows the fire to be turned to low whilst still retaining an impressive flame picture.

Shown here in the Asti Limestone surround, this fire is available with two trim styles, the Edge trim, for the sleek trimless look or the conventional style Standard trim.

FLUE OPTIONS



∜ Slide



Log



Scan QR Code

CONTROL





FUEL

Natural

GAS CONSUMPTION



Heat Input

(High)







Heat Output (High)


Heat Output (Low)


2.9kW

75% EFFICIENCY

Dimensions


EDGE






- A) 798mm B) 415mm
- C) 18-32mm D) 278mm
- E) 439mm F) 797mm

STANDARD



- A) 798mm B) 415mm
- C) 18-32mm D) 278mm
- E) 439mm F) 797mm

MANTEL DIMENSIONS



A) 1307mm B) 864mm

D) 60mm

- E) 594mm
- F) 927mm C) 1307mm
 - J) 140mm K) 50mm
- L) 155mm M) 300mm

EDGE TRIM

G) 406-408mm

I) 124mm


- H) 790-792mm
- I) 95mm

STANDARD TRIM

G) 444-446mm

H) 806-808mm

ENERGY EFFICIENCY CLASS E 26 GAS FIRES RAVEL 800 RAVEL 800 | GAS FIRES | 27



fire is suitable for both class 1 and class 2 flues.

Shown here in the Siena Micro marble surround, this fire is available with two trim styles, the Edge trim, for the sleek trimless look or the conventional style Standard trim.

The Ravel 800 features the latest in under-log burner technology and is sure to impress with its stunning fuel bed layout. The unique burner system allows the fire to be turned to low whilst still retaining an impressive flame picture.

FLUE OPTIONS



∜ Slide







WATCH VIDEO

Scan QR Code





Log



FUEL



GAS CONSUMPTION





(Low)





Heat Input

Heat Output (High)


Heat Output (Low)


2.9kW

75% EFFICIENCY

Dimensions


EDGE





- A) 798mm B) 415mm
- C) 18-32mm
- E) 439mm
- F) 797mm D) 278mm

STANDARD




- A) 857mm B) 474mm
- C) 10mm D) 278mm
- E) 439mm F) 797mm

L) 155mm

M) 300mm

MANTEL DIMENSIONS



- A) 1370mm B) 875mm
- E) 614mm
- F) 928mm C) 1370mm
- J) 145mm D) 65mm
 - K) 50mm

EDGE TRIM STANDARD TRIM

G) 406-408mm

I) 119mm

- G) 444-446mm H) 790-792mm
 - I) 90mm

ENERGY EFFICIENCY CLASS E 28 | GAS FIRES | RAVEL 800 RAVEL 800 | GAS FIRES | 29



Shown here installed with the Ravel 800 Edge trim directly into a fireplace wall for a minimalistic look.

The Ravel 800 features the latest in under-log burner technology and is sure to impress with its stunning fuel bed layout. The unique burner system allows the fire to be turned to low whilst still retaining an impressive flame picture.

FLUE OPTIONS



Brick Chimney Pre-Fabricated

WATCH VIDEO



CONTROL









Natural Gas

Dimensions

EDGE






A) 798mm B) 415mm

C) 18-32mm

D) 278mm

E) 439mm F) 797mm

STANDARD



A) 857mm B) 474mm

C) 10mm

D) 278mm

E) 439mm F) 797mm

Heat

Input

(Low)

Heat

Output

GAS CONSUMPTION



Heat Input (High)







(Low)

75% EFFICIENCY

ENERGY EFFICIENCY CLASS E 30 | GAS FIRES | RAVEL 800 RAVEL 800 | GAS FIRES | 31



for both class 1 and class 2 flues.

The Ravel 750 features the latest in under-log burner technology is sure to impress with its stunning fuel bed layout. The graceful and ingenious burner system allows the fire to be turned to low whilst still retaining an impressive flame picture.

Shown here in the Asti 750 Limestone surround, installed with the sleek Edge trim, for the trimless look. The Ravel 750 Asti suite is the culmination of years of research, development and manufacturing excellence, producing the ultimate gas log fire.

FLUE OPTIONS



∜ Slide



Pre-**Fabricated**



WATCH VIDEO

CONTROL







Scan QR Code

FUEL



GAS CONSUMPTION





(Low)



Heat Input (High)

Heat Input

Heat Output (High)

Heat Output (Low)

3.5kW


78% EFFICIENCY

Dimensions

EDGE


- A) 748mm
- C) 18-32mm
- B) 711mm
- D) 280mm
- E) 736mm F) 747mm


STANDARD



- A) 807mm B) 770mm
- C) 10mm
- E) 736mm
- D) 280mm F) 747mm

MANTEL DIMENSIONS





L) 100mm

M) 380mm

A) 1300mm B) 1120mm C) 1280mm

D) 60mm

- E) 820mm
- F) 840mm
- K) 45mm
- J) 160mm

EDGE TRIM

G) 702mm

- H) 740mm
- I) 70mm
- **STANDARD TRIM**
- G) 741mm
- H) 756mm I) 40mm

ENERGY EFFICIENCY CLASS E 32 GAS FIRES RAVEL 750 RAVEL 750 | GAS FIRES | 33



for both class 1 and class 2 flues.

The Ravel 750 features the latest in under-log burner technology is sure to impress with its stunning fuel bed layout. The graceful and ingenious burner system allows the fire to be turned to low whilst still retaining an impressive flame picture.

Shown here in the Valentia micro marble surround, installed with the sleek Edge trim, for the trimless look. The Ravel 750 Valentia suite is the culmination of years of research, development and manufacturing excellence, producing the ultimate gas log fire.

FLUE OPTIONS



∜ Slide







WATCH VIDEO

Scan QR Code

CONTROL



Log



FUEL

Natural Gas

GAS CONSUMPTION









78% EFFICIENCY


Heat Input (High)

Heat Input (Low)

Heat Output (High)


Heat Output (Low)

Dimensions



- A) 748mm B) 711mm
- C) 18-32mm
- D) 280mm
- E) 736mm F) 747mm

STANDARD



A) 807mm


B) 770mm

C) 10mm


D) 280mm

E) 736mm F) 747mm

EDGE TRIM ONLY



MANTEL DIMENSIONS



K) 50mm

L) 100mm

M) 300mm

- A) 1370mm
- F) 928mm
- B) 1150mm C) 1370mm

E) 874mm

- G) 702mm H) 740mm
- D) 65mm
- I) 65mm J) 170mm

Note: The Valentia marble suite is only available to suit the Edge style trim as shown.

ENERGY EFFICIENCY CLASS E 34 GAS FIRES RAVEL 750 RAVEL 750 | GAS FIRES | 35



The Panama log fire is a revolutionary product.

This wide format glass fronted gas appliance has the appeal of a European fire but the benefit of fitting into a standard 16" x 22" chimney breast opening. Normally an appliance of this stature would require building work and installation of a new lintel. The Panama has a patent pending installation system which, in conjunction with your new fireplace will provide a much more cost effective solution for this type of product. Talk to your dealer for full details. The Panama comes in slide control as standard.

FLUE OPTIONS





Fabricated

CONTROL











STANDARD MANTEL FINISH OPTIONS



PANAMA TRIM OPTIONS









Black

Satin/ Black

Chrome/ Black

Bl.Nickel/ Black

Anthracite

SLIDE LEVER OPTIONS






Chrome





Black Nickel

DIMENSIONS



A) 614mm Trim Width B) 611mm Trim Height


C) 560mm-580mm Back Panel Opening Width

D) 585mm-600mm Back Panel Opening Height E) 76mm Mantel Rebate

F) 406mm Fire Width at Builders Opening G) 565mm Fire Height at Builders Opening

H) 117mm Fire Depth into Builders Opening


MANTEL DIMENSIONS



A) 1370mm D) 65mm G) 590mm J) 75mm

B) 1278mm E) 570mm H) 230mm C) 1095mm F) 1370mm I) 400mm

GAS CONSUMPTION







Heat Output

Input

(Low)

87% EFFICIENCY

ENERGY EFFICIENCY CLASS C 36 | GAS FIRES | PANAMA HE PANAMA HE | GAS FIRES | 37



Fabricated

Manual

Electronic

appliance suitable for Class 1 and Class 2 flues.

The most powerful gas fire in the Wildfire range, with its deep bed and powerful output this appliance provides the ultimate in performance and style.

The flagship Cressida HE is supplied in either manual or slide control. The slide control features the latest patent pending Direct Slide technology.

Remember, once you have chosen your appliance, you can decide how it looks by selecting trim and fret options. See the trim options below and in more detail on page 62.

FLUE OPTIONS


CONTROLS

\ Slide

FUEL BED


FUEL

Natural













Heat Input (High)


Heat Input (Low)

Heat Output (High)

Heat Output (Low)

2.15kW

DIMENSIONS



A) 512mm

B) 403mm

C) 607mm

D) 553mm

E) 198mm

F) 174mm G) 358mm

STANDARD TRIM OPTIONS



Contemporary trim includes front bars. Trims can be purchased without front bars. For more details see page 54.

CREATIVE TRIM OPTIONS





Brass/ Black

Chrome/ Black

Bl.Nickel/ Black

PROFILE TRIM OPTIONS

Satin/

Black







Black

Profile

Brass/ Black Profile

Satin/ Black Profile

Bl.Nickel/ Chrome/ Black Profile

SLIDE LEVER OPTIONS

Chrome



Brass





Black

Nickel



Black

Ezi-Grip

ENERGY EFFICIENCY CLASS C 38 | GAS FIRES | CRESSIDA HE CRESSIDA HE | GAS FIRES | 39



The Pesaro HE is a high efficiency glass fronted appliance suitable for Precast, Class 1 and Class 2 flues.

When the most important factor is heat, then the Pesaro mid-depth high efficiency gas fire will deliver. The fire can be fitted with an additional spacer to reduce the effective depth of the appliance.

The Pesaro HE is available in slide control as standard.

FLUE OPTIONS



CONTROL

Slide











FUEL



Coal



Natural

GAS CONSUMPTION

3.7kW

Heat Input

(High)



Heat Input

(Low)








84% EFFICIENCY

Heat Output (Low)

DIMENSIONS





B) 352mm

C) 607mm

D) 553mm

E) 128mm

F) 111mm G) 350mm

STANDARD TRIM OPTIONS







Contemporary trim includes front bars. Trims can be purchased without front bars. For more details see page 54.

CREATIVE TRIM OPTIONS









Brass/ Black

Chrome/ Black

Bl.Nickel/ Black

PROFILE TRIM OPTIONS

Satin/

Black





Satin/

Black

Profile





Brass/ Black Profile

Chrome/ Black Profile

Bl.Nickel/ Black Profile

SLIDE LEVER OPTIONS





Black


Nickel





Black

Ezi-Grip





efficiency glass fronted fire suitable for class 1 and class 2 flues.

The Ravel HE Log is sure to impress, with its under log burners and stunning fuel bed layout. The unique burner system allows the fire to be turned to low whilst still retaining an impressive flame height.

This fire is available with two trim styles, the Black Nickel and Chrome or the striking Anthracite version.

FLUE OPTIONS



∜ Slide





Log

CONTROL





FUEL

Natural Gas

GAS CONSUMPTION



Heat Input

(High)



(Low)




81% EFFICIENCY



Heat Output (Low)

DIMENSIONS



A) 512mm

C) 664mm (4 sided)


B) 403mm C) 610mm (3 sided)

D) 555mm

F) 186mm G) 502mm

E) 197mm

Also available as 4 sided HIW



A) 1370mm B) 1370mm C) 1160mm D) 400mm

E) 230mm F) 512mm

G) 610mm

RAVEL TRIM OPTIONS



Bl.Nickel/ Anthracite Chrome

SLIDE LEVER OPTIONS







Chrome Black Nickel

Black

Ezi-Grip

STANDARD MANTEL FINISH OPTIONS



2.1kW 4.8kW



ENERGY EFFICIENCY CLASS D 42 GAS FIRES RAVEL 400 HE RAVEL 400 HE | GAS FIRES | 43



The Ravel 400 can now also be supplied as a slide control inset stove fronted product.

Employing the Ravel stove clean lines, our engineers have developed an aluminium, light weight trim which will transform your Ravel 400 into an inset gas log stove. Offering all of the features and benefits of the Ravel 400 product this log burner will never fail to impress.

FLUE OPTIONS





Fabricated

CONTROL

\ Slide







GAS CONSUMPTION








81% EFFICIENCY




Heat Output (High)

Heat Output (Low)

DIMENSIONS





I) 70mm

- A) 512mm B) 630mm
- E) 186mm F) 97mm
- C) 584mm
- G) 65mm G) 198mm
- J) 502mm

STOVE HANDLE OPTIONS



SLIDE LEVER OPTIONS







Chrome

Black

Black Ezi-Grip

STANDARD MANTEL FINISH OPTIONS



ENERGY EFFICIENCY CLASS D 44 | GAS FIRES | RAVEL 400 INSET STOVE HE RAVEL 400 INSET STOVE HE | GAS FIRES | 45



FLUE OPTIONS

Brick Chimney Pre-Fabricated

been used to create this four sided design, allowing a space

burner will never fail to impress.

saving and economical solu'on for your living room. Offering all of the features and benefits of the Ravel 400 product this log



Slide










DIMENSIONS



A) 510mm B) 665mm

C) 556mm

D) 186mm

G) 502mm

- E) 33mm
- F) 198mm

RAVEL TRIM OPTIONS



Bl.Nickel/ Chrome

SLIDE LEVER OPTIONS









Ezi-Grip

GAS CONSUMPTION

Nickel







Heat Output (High)



Heat Output

Heat

Input

(Low)

81% EFFICIENCY

ENERGY EFFICIENCY CLASS C 46 | GAS FIRES | RAVEL 400 HIW HE RAVEL 400 HIW HE | GAS FIRES | 47



The Ravel 400 is now available in balanced flue format. With the same intricately detailed logs and unique underlog burners this appliance is the perfect solution for economic heating in homes without a flue.

The product is available with the two standard Ravel 16" trims in Black Nickel and Chrome or Anthracite but can also be configured to be installed as a hole in the wall (HIW) see page 44, or as an inset stove see page 42. The Ravel 400BF also employs the same controllability as the conventional flue version, allowing the fire to be turned to a low setting whilst still retaining an impressive flame height.

FLUE OPTIONS



Balanced Flue

CONTROL

∜ Slide

FUEL BED

Log



FUEL

Natural Gas

GAS CONSUMPTION




(High)







83% EFFICIENCY



Heat Output (Low)

DIMENSIONS





- A) 510mm
- D) 553mm
- G) Ø152mm H) 400mm
- B) 394mm C) 611mm
- E) 197mm
- F) 290-580mm I) 206mm

RAVEL TRIM OPTIONS







Bl.Nickel/

Anthracite Inset Stove (see page 42) (see page 44)

SLIDE LEVER OPTIONS







Chrome

Black Nickel

Black Ezi-Grip

STANDARD MANTEL FINISH OPTIONS



ENERGY EFFICIENCY CLASS D 48 | GAS FIRES | RAVEL 400 HE BF RAVEL 400 HE BF | GAS FIRES | 49



The Thermes is our high efficiency balanced flue gas appliance.

If you have no flue or chimney in your home you will need a balanced flue gas fire. The Thermes is a room sealed high efficiency gas fire that really delivers.

This fire flues through an external wall and can be installed in most new or existing fireplaces.

Remember, once you have chosen your appliance, you can decide how it looks by selecting trim and fret options. See the trim options below and in more detail on page 62.

FLUE OPTIONS

CONTROLS

∜ Slide

FUEL BED



86% EFFICIENCY










Heat Input (High)

(Low)

Heat Output

DIMENSIONS



- A) 512mm
- B) 406mm
- C) 607mm
- D) 552mm
- E) 186mm
- F) 290-624mm
- G) 152mm

STANDARD TRIM OPTIONS







Contemporary trim includes front bars. Trims can be purchased without front bars. For more details see page 54.

CREATIVE TRIM OPTIONS

Satin









Brass/ Black

Satin/ Black

Chrome/ Black

Bl.Nickel/ Black

PROFILE TRIM OPTIONS





Satin/

Black

Profile



Brass/ Black Profile

Bl.Nickel/ Chrome/ Black Black Profile Profile

SLIDE LEVER OPTION



Ezi-Grip

Balanced

Manual

Electronic







FUEL


Natural Gas

Heat Input

(High)

Heat Output (Low)

ENERGY EFFICIENCY CLASS C 50 | GAS FIRES | THERMES



any outside wall of the home and generates a contemporary and stylish centrepiece for the room. This appliance can be installed directly into a cavity wall yet provides probably the deepest fuel bed effect for a product of its type. Coupled with a reflective black glass lining, this gas fire delivers the ultimate dancing flame effect and ceramic log layout.

FLUE OPTION



CONTROL









FUEL

Dimensions



APPLIANCE




A) 1198mm B) 666mm

F) 13mm

- G) 29mm H) 183mm
- C) 1138mm D) 608mm
- I) 151mm J) 523mm
- E) 174mm K) 862mm L) 332mm
- M) 270mm -725mm
- N) 400mm O) 206mm

GAS CONSUMPTION









Heat Output (Low)

86% EFFICIENCY

ENERGY EFFICIENCY CLASS C BF960SL | GAS FIRES | 53 52 | GAS FIRES | BF960SL



The Cavello XE is a realistic open fronted gas fire with a powerful convecting heat exchanger to boost performance.

The Cavello is supplied with the XE System as standard, see page 9 for more details. This convector appliance will produce enough heat to satisfy most of the largest living rooms. It is available in manual and slide control with options of coal and pebble fuel bed effects.

The Wildfire Cavello XE can be supplied with a range of trims to suit the style that you are trying to achieve. See full trim options on page 62.

FLUE OPTIONS

FUEL











CONTROLS

FUEL BEDS











GAS CONSUMPTION



(High)








Heat Output (High)

Heat Output (Low)

1.8kW

DIMENSIONS



A) 512mm

- B) 402mm
- C) 607mm
- D) 553mm
- E) 198mm
- F) 130mm G) 355mm

STANDARD TRIM OPTIONS







Contemporary trim includes front bars. Trims can be purchased without front bars. For more details see page 54.

CREATIVE TRIM OPTIONS









Brass/ Black

Satin/ Black

Chrome/ Black

Bl.Nickel/ Black

PROFILE TRIM OPTIONS





Satin/

Black

Profile





Brass/ Black Profile

Chrome/ Black Profile

Black

Nickel

Bl.Nickel/ Black Profile

SLIDE LEVER OPTIONS

Chrome



Brass







Black

Ezi-Grip

ENERGY EFFICIENCY CLASS F 54 | GAS FIRES | CAVELLO XE



enhance any living room.

The Montese is an authentic looking coal effect gas fire, where realism is the most important factor.

By utilising the broad range of trims that Wildfire provides, you can choose the mood of your room from contemporary to traditional. It is available with pebble and coal fuel bed options and offers an impressive radiant heat output.

The Wildfire Montese is available in manual and slide control. See page 62 for full trim specifications.

FLUE OPTIONS

FUEL











CONTROLS

FUEL BEDS











STANDARD MANTEL FINISH OPTIONS

White

Grey

Manual

Cadiz suite available with or without grey inner border.

GAS CONSUMPTION





Black

Nickel



Heat Input (High)

Heat Input (Low)

Heat Output (High)

3.4kW

Heat Output (Low)

ENERGY EFFICIENCY CLASS F **SLIDE LEVER OPTIONS**



Brass








Black Ezi-Grip

DIMENSIONS




A) 512mm

B) 403mm

C) 607mm D) 553mm

E) 173mm

F) 104mm G) 328mm



A) 1220mm

B) 1220mm

C) 1095mm D) 400mm

E) 210mm

F) 45/75mm

G) 413mm H) 565mm

STANDARD TRIM OPTIONS







Brass

Satin

Chrome

Contemporary trim includes front bars. Trims can be purchased without front bars. For more details see page 54.

CREATIVE TRIM OPTIONS



Brass/

Black





Chrome/ Bl.Nickel/ Black Black Black

PROFILE TRIM OPTIONS



Brass/

Black

Profile



Satin

Black

Profile



Chrome/

Black

Profile



Bl.Nickel/ Black Profile

56 GAS FIRES MONTESE MONTESE | GAS FIRES | 57



appliance that will fit into all flue types. A spacer is available to enable it to be fitted into shallow precast flues.

The realistic fuel bed boasts a powerful flame picture for its size making the Wildfire Ceralis the obvious option when the flue available limits your choice of fire.

The Ceralis is available in manual and slide control with coal and pebble fuel bed options. The slimline fire is a stunning appliance which makes it the first choice for your precast flue. For full trim options see page 62.

FLUE OPTIONS

FUEL



Brick Pre-Fabricated Pre-Cast

CONTROLS

FUEL BEDS











STANDARD MANTEL FINISH OPTIONS



Grey

Available with grey inner border. See similar detail on the Cadiz suite - page 48

GAS CONSUMPTION



Heat Input Heat Input (High)

(Low)



Heat Output Heat Output (High) (Low)

ENERGY EFFICIENCY CLASS F

1.7kW



Chrome

SLIDE LEVER OPTIONS



Black






Black

Ezi-Grip

DIMENSIONS



- A) 512mm B) 352mm
- C) 607mm D) 553mm
- E) 123mm
- F) 65mm
- G) 300mm
- A) 1070mm (42") 1220mm (48")
- B) 1070mm (42") 1220mm (48") C) 1050mm (42")
- 1095mm (48")
- D) 400mm E) 210mm
- F) 45/75mm
- G) 413mm H) 565mm

STANDARD TRIM OPTIONS



Front bars are optional. For more details see page 54

CREATIVE TRIM OPTIONS







Bl.Nickel/ Black

PROFILE TRIM OPTIONS

Black



Brass/

Black

Profile

Brass/

Black



Satin

Black

Profile



Chrome/

Black

Profile

Chrome/

Black



Bl.Nickel/ Black Profile

Nickel 58 | GAS FIRES | CERALIS CERALIS | GAS FIRES | 59

Brass

Ellipsis NOTE: GRANITE SLIPS **NOT** INCLUDED The Ellipsis 'Hole in the wall' with Chrome/Black trim. Open This beautifully styled hole in the wall appliance fronted in pebble (inset)

produces a powerful output.

Its warmth will transform your living environment. The Ellipsis is suitable for Class 1 and Class 2 flue types and is available in Coal or Pebble**.

The Ellipsis is available in open fronted or glass fronted HE format. The Ellipsis open fronted has a pebble option. This product is only available as manual control.

The Wildfire Ellipsis combines style, efficiency and space saving to provide the ultimate solution for an open fronted gas or glass fronted fire. If you are looking for realism coupled with powerful heat whilst retaining efficiency then this is the product for you.

FLUE OPTIONS







CONTROLS





Manual Electronic*



Natural Gas

FUEL BEDS

**Open fronted only









ELLIPSIS TRIM OPTIONS

4 Sided

Satin/

Black



4 Sided

Chrome/

Black






Satin/ Chrome/ Black Black

Also available in 3 sided for hearth mounted version


Dimensions

OPEN FRONTED




- A) 512mm
- B) 403mm
- C) 660mm (HIW)
- C) 607mm (3 Sided)
- D) 553mm
- E) 173mm F) 104mm
- G) 358mm

GLASS FRONTED



- A) 512mm
- B) 403mm
- C) 660mm (HIW)
- C) 607mm (3 Sided)
- D) 553mm E) 198mm
- F) 174mm
- G) 358mm

BALANCED FLUE



- A) 512mm
- B) 406mm
- C) 660mm (HIW)
- C) 607mm (3 Sided)
- D) 552mm
- E) 186mm F) 290-624mm
- G) 152mm

GAS CONSUMPTION

For inputs and outputs and efficiency classes refer to the relevant pages as below:

OPEN FRONTED (REFER TO MONTESE - PAGE 54)

GLASS FRONTED (REFER TO CRESSIDA - PAGE 36)

BALANCED FLUE (REFER TO THERMES - PAGE 48)

60 | GAS FIRES | ELLIPSIS ELLIPSIS | GAS FIRES | 61



the light weight aluminium extrusion employed in this design. Suitable for use with Class 1, Class 2 and precast flues.*

The unique burner system allows the fire to be turned to low whilst still retaining an impressive flame effect.

FLUE OPTIONS





Brick Chimney Pre-Fabricated Pre-Cast



WATCH VIDEO



CONTROL











DIMENSIONS



- A) 464mm
- B) 584mm
- C) 127mm
- D) 502mm
- E) 100mm
- F) 289mm
- G) 315mm
- H) 67mm
- I) 515mm





GAS CONSUMPTION

Heat

4.25kW

3.1kW





Heat 1.8kW Output (Low)

Heat

Input

(Low)

82% EFFICIENCY

ENERGY EFFICIENCY CLASS D 62 | GAS FIRES | RAVEL GAS STOVE RAVEL GAS STOVE | GAS FIRES | 63

Trim **Options**

Choose the trim and fret options from the selection on this page. The Standard and Creative trim and fret options will fit **MOST** of the products in this brochure. The Ellipsis trim will fit manual control fires only. For further fret options consult your retailer.

SLIDE LEVER OPTIONS



Brass



Black Nickel

Black



Ezi-Grip

STANDARD TRIM OPTIONS

CREATIVE TRIM OPTIONS



Brass













Contemporary Contemporary Contemporary Satin Chrome

Black

Contemporary

Satin/Black







Contemporary

Brass/Black









Bl. Nickel/Black



Profile

Satin/Black



Profile

Chrome/

Black



Profile





Chrome/Black

Bl. Nickel/Black Profile





4 Sided Satin/ Black

4 Sided Chrome/ Black

Ellipsis trim only suitable for manual control appliances

PANAMA TRIM OPTIONS



Bl. Nickel/



Anthracite









Anthracite

Technical Information

Use the chart below to quickly check the options available for each product contained in this brochure. You will also find the flue types which products can be installed into. For further information consult the manufacturer's installation instructions or ask your local retailer for further advice.

PAGE NO.	FIRES	COAL OPTION	PEBBLE OPTION	LOG OPTION	MANUAL CONTROL	SLIDE CONTROL	PRE- CAST FLUE	CLASS II FLUE	CLASS I FLUE	BALANCED FLUE	XE INCLUDED	XE OPTIONAL	HE
10-11	RAVEL MW 1500			✓		✓				✓			✓
12-13	RAVEL MW 1720			✓		✓				✓			✓
14-15	HE900 (STD & PCF)			✓		✓	~	✓	✓				✓
16-17	HE950L (STD & PCF)			✓		✓	✓	✓	✓				✓
18-23	RAVEL 600			✓		✓		✓	✓				✓
24-29	RAVEL 800			✓		✓		✓	✓				✓
30-33	RAVEL 750			✓		✓		✓	✓				✓
34-35	PANAMA			✓		✓		✓	✓				✓
36-37	CRESSIDA HE	✓			✓	✓		✓	✓				✓
38-39	PESARO HE	✓				✓	✓	✓	✓				✓
40-45	RAVEL HE			✓		✓		✓	✓				✓
46-47	RAVEL BF			✓		✓				✓			✓
48-49	THERMES BF	✓			✓	✓				✓			✓
50-51	BF960SL			✓		✓				✓			✓
52-53	CAVELLO XE	✓	✓		✓	✓		✓	✓		✓		
54-55	MONTESE	✓	✓		✓	✓	✓	✓	✓			✓	
56-57	CERALIS	✓	✓		✓	✓	✓	✓	✓			✓	
58-59	ELLIPSIS HIW	✓	✓ *		✓			✓	✓			✓	✓ **
60-61	RAVEL GAS STOVE			✓		✓	✓	✓	✓				✓

64 | GAS FIRES | TRIM OPTIONS TECHNICAL INFORMATION | GAS FIRES | 65

Some things you need to know



extensive network of service centres

throughout the UK. Choose Wildfire

for style, performance, reliability,

value and peace of mind.




All of our electric appliances provide up to 2kW of instantaneous heat. At the push of a button, or from a programmed timer, this clean convected heat will power warmth into your room whenever you need it.

A mesmerising flame effect completes these beautiful products. With stunning log arrangements and a choice of three levels of flame control and up to five brightness/intensity levels. The vibrant flame effects provide that feeling of comfort even when the heat is not switched on. The flame effect system is a safe convenient and efficient design which uses only LED technology to ensure that running costs in flame only mode are extremely low.

The Wildfire range of suites couple this electric fire technology with exquisite micro marble fireplaces. Available in a range of colours (see pages 70 & 71) these suites all allow a flat to wall installation*

*The Panama E22 and Ravel E16 installed in the Salvador suite require a spacer frame (supplied separately) to allow flat to wall installation. If no spacer is required for this suite then a 65mm recess for the width and height of the appliance is required.





The HE900E Avellino is a 52" flat to wall marble electric fireplace suite.

This fully electronic remote control fireplace offers 7 day thermostatic operation. The suite is available in all white or white with a distinctive grey highlight. A variety of flame effects provide a great solution to suit the mood for the day.

CONTROL

Remote

FUEL BED

Log




Electric

STANDARD MANTEL FINISH OPTIONS





Available with grey inner border - see similar detail on the Seville Suite - page 12.



A) 1320mm

D) 400mm

G) 740mm

B) 1320mm C) 1159mm

E) 235mm F) 660mm

For full technical and dimensional specifications refer to pages 74 and 75.

68 | ELECTRIC FIRES | HE 900E HE 900E | ELECTRIC FIRES | 69



The HE950LE Seville is a 52" flat to wall marble electric fireplace suite.

This incredible fireplace has been launched to complement the already successful, multi award winning HE950L Seville gas suite. It is available in the same flawless micro marble colour options, white or white with grey slip highlights. The appliance is fully thermostatic and has timers to allow heating to take place at the appropriate times.

CONTROL

Remote

FUEL BED

Log



Electric

STANDARD MANTEL FINISH OPTIONS

page 12.





Grey

Available with grey inner A) 1320mm border - see similar detail on the Seville Suite -B) 1320mm

D) 400mm

G) 520mm

C) 967mm

E) 235mm F) 800mm

For full technical and dimensional specifications refer to pages 74 and 75.

70 | ELECTRIC FIRES | HE 950LE HE 950LE | ELECTRIC FIRES | 71



The Panama E22 can be supplied with numerous trim options, from the black anthracite or the two tone anodised range featuring brass, satin, chrome, black nickel & the new black nickel/chrome effect. The appliance is a fully electronic remote control fireplace offering a 7 day thermostatic operation. A variety of flame effects can be selected using the digital remote control, along with a whole range of other programmable features. For full information on the remote system refer to pages 74 and 75.

This product can be installed onto a flat wall if a 65mm spacer (available separately) is fitted. Alternatively a recess behind the fireplace can be made to accept the appliance rear section, talk to your retailer for further details.

CONTROL

Remote

FUEL BED

FUEL

Electric



Black



PANAMA TRIM OPTIONS

Black



Black



Black



A) 1370mm B) 1370mm

C) 1160mm

D) 400mm

E) 230mm F) 614mm

G) 611mm

STANDARD MANTEL FINISH OPTIONS



For full technical and dimensional specifications refer to pages 74 and 75.

72 | ELECTRIC FIRES | PANAMA E22



The Ravel E16 Salvador is a 54" micro marble electric fireplace suite, available in all white.

The Ravel E16 can be supplied with either a black anthracite or a black nickel and chrome trim option. The fireplace can be installed onto a flat wall if a spacer (available separately) is fitted. Alternatively a recess behind the fireplace can be made to accept the appliance rear section, talk to your retailer for further details. The appliance is a fully electronic remote control fireplace offering a 7 day thermostatic operation. A variety of flame effects can be selected using the digital remote control, along with a whole range of other programmable features.

CONTROL

FUEL BED

STANDARD MANTEL FINISH OPTIONS

FUEL






Electric

Chrome

RAVEL TRIM OPTIONS

Featured with a Wildfire Salvador 54" surround in Manilla Micro Marble







- A) 1370mm
- D) 400mm E) 230mm
- B) 1370mm C) 1160mm F) 512mm
- G) 611mm

For full technical and dimensional specifications refer to pages 74 and 75.

Remote



74 | ELECTRIC FIRES | RAVEL E16

Marble and Trim options electrical

	AVELLINO HE900E	SEVILLE HE950LE	SALVADOR PANAMA E22	SALVADOR E16
MARBLE COLOURS	W/WG	W/WG	W	W
TRIM OPTION	As pictured	As pictured	Br/Sa/Ch/ An/BN	Br / Sa / Ch / An / BN
REMOTE CONTROL	Yes	Yes	Yes	Yes
THERMOSTATIC	Yes	Yes	Yes	Yes
PROGRAMMABLE TIMER	Yes	Yes	Yes	Yes
FLAME COLOUR SETTINGS	3	3	3	3
FLAME INTENSITY SETTINGS	5	5	5	5
MAX HEATER OUTPUT	2kW	2kW	2kW	2kW
SPACER OPTION FOR FLAT-WALL FIX	N/A	N/A	Yes	Yes

Trim Options: Br: Brass/Black Sa: Satin/Black Ch: Chrome Black An: Anthracite BN: Black Nickel/Black

White Grey

White Grey

Brass/
Black

Satin/Black

Chrome/
Black

Black

Black

Black

Black

Black

Black

Black

Marble Colours: W: White WG: White with Grey Slips

Marble and Trim options electrical

PAGE NO.	ELECTRIC FIREPLACE SUITE	HEARTH WIDTH	HEARTH DEPTH	SHELF WIDTH	SHELF DEPTH	OVERALL HEIGHT
66-67	AVELLINO HE900E	1320mm	400mm	1320mm	290mm	1159mm
68-69	SEVILLE HE950LE	1320mm	400mm	1320mm	290mm	967mm
70-71	SALVADOR PANAMA E22	1370mm	400mm	1370mm	230mm	1160mm
72-73	SALVADOR RAVEL E16	1370mm	400mm	1370mm	230mm	1160mm





76 | ELECTRIC FIRES | TRIM OPTIONS TRIM OPTIONS



Sales Enquiries sales@hearthproducts.co.uk

Technical Enquiries customerservice@hearthproducts.co.uk

Telephone 01785 225401

Fax 01785 225501

HEARTH PRODUCTS

Hearth Products Ltd, Unit 14 Brindley Close, Tollgate Industrial Estate, Stafford ST16 3SU



www.wildfiregas.co.uk www.wildfireelectric.co.uk

Scan the QR code with your mobile device to be directed to the Wildfire website.















